



# Product Information

## Jacuzzis & Spa



[www.fix-a-leak.co.za](http://www.fix-a-leak.co.za) - [www.fixaleak.com](http://www.fixaleak.com)



## Spas / Jacuzzis

### FIX-A-LEAK

- is a blended concentrated material designed to seal leaks in virtually any material
- can be applied for leaks in the shell and works equally well in plumbing
- will seal holes 3mm in diameter
- will form a permanent seal

**A 1Liter Bottel can handle up to 80 000 Liter pool  
Do not use in excess of 1 liter per 18 000 Liter water**

### PRECAUTION:

Keep out of Reach of Children.

Can cause severe eye and skin irritation. Do not get in eyes, on skin, or on clothing. Harmful or fatal if swallowed. Avoid contamination of food. Rinse empty container thoroughly with water and discard.

### FIRST AID:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, contact a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution. If these are not available, drink large quantities of water. Call a physician immediately.

### DIRECTIONS

**\*Shake Well Before Using\***

- Bypass Spa Filter or Remove filter cartridge before adding FIX-A-LEAK to water.
- With pump running add FIX-A-LEAK slowly through skimmer or in front of any other suction intake.
- FIX-A-LEAK is very heavy and will sink to the lowest point rather quickly. It must be stirred back into suspension every 4-6 hrs. during circulation of water.
- Continue to recirculate water until the leak has stopped.



Fix-A-Leak South Africa

[www.fix-a-leak.co.za](http://www.fix-a-leak.co.za)

[www.fixaleak.com](http://www.fixaleak.com)

082 411 3180

- After the leak has stopped, give it the proper time to cure (24-48 hrs.). You may then return to normal filtration.
- Treatment can be repeated if necessary.

**\*NOTE\* Never allow cartridges or DE elements to dry before they are cleaned. Rinse clean with water.** It is advisable, to use Fix-a-Leak when your spa is a foam insulated type and has been leaking for a long period of time:

Once you determine the leak has stopped, drain your tub. Properly wipe down the spa with a wet cloth, nothing abrasive. Allow to dry for 4-5 days to allow FIX A LEAK to properly cure.

For more information or to purchase your bottle of fix-a-leak please visit our website:  
[www.fix-a-leak.co.za](http://www.fix-a-leak.co.za)

Sincerely

The South African fix-a-leak team

[social@fix-a-leak.co.za](mailto:social@fix-a-leak.co.za)



**Specializing in leak repair  
since 1980....**

Fix-a-leak provides a solution that has been tried and tested  
in the leakage repair industry